Arc Beam Cool

LED TAPE LIGHT

DESCRIPTION

All PreciseLED tape light products feature a flexible copper core and are cut and soldered to a specified length in our factory. PreciseLED tape lights additionally, have best-in-class color rendering and color consistency. When combined with our dimming drivers, they have exceptional dimming and flickering performance. Our ACBC is the first tape light designed to smoothly bend on the horizontal axis. It sets the standard for performance and superior quality.

SPECIFICATIONS

- Voltage: 24V
- Watts per foot: 6 W/ft
- Average Lumens per foot: 551.9* Lm/ft
- 2835 LED's
- 34 diodes/foot
- Dimmable using dimmable driver
- Backed with 3M Adhesive
- Ambient Temperature: -4°F ~ +113°F
- Humidity: 40% ~ 70% R
- IP Protection: IP20
- Tail end field cuttable every 2.83 Inches
- 50,000 Hours Lamp Life
- Max Run: 17.5 Feet
- 3 Step Binning
- CRI \ge 95 , R_f \ge 95 , R_g \ge 100
- 5 Year Warranty
- Patent Pending


*Estimated value

ORDERING CODE

Example: ACBC-16'-24V-95C-30K

Product	Spool Length	Volts	CRI	Color Temperature
ACBC		24V	95C	
ACBC	'ft "in Custom Length	24V- 24 Volts	95C ≥ 95CRI	27K 2700K 30K 3000K 35K 3500K 40K 4000K

COMPATIBLE TAPE LIGHT DRIVERS



Click here for a more detailed Driver Overview.

File Name: ACBC Spec Sheet A06 NOV 22, 2022

© 2020 PreciseLED Inc. We reserve the right to change specifications without prior notice.




Project Name:

Fixture Type:



DIMENSIONS



Color Temp	Lumens/ft
2700K	517.1
3000K	533.4
3500K	545.1
4000K	612.2

Arc Beam Cool



LED TAPE LIGHT

Project Name:

Fixture Type:

Optional Wiring Configurations	Description	Ordering Code
12"(Standard) OR Desired Length(feet)	Custom Tail Wire Length (feet)	TAIW
12''(Standard) OR Desired Length(feet)	Custom Lead Wire Length (feet)	LEAW
	Tail Jumper Cable	JUMP
	2.1MM DC CONNECTOR (FEMALE)	PLGF
	2.1MM DC CONNECTOR (MALE)	PLGM

*Default wire length is 12", no number in front of ordering code indicates default length

Note: Solder points are secured with heat sinks.

ORDERING ACBC Example: ACBC-16'-24V-95C-30K-14TAIW

COMPATIBLE TAPE LIGHT CHANNELS



ZNLT- ARC1

Dimensions: 1.35"W x 0.84"H



ZNLT-ARC1- PM Dimensions: 0.89"W x 1.00"H



ZNLT-ARC1- SM Dimensions: 0.89"W × 1.00"H



ZNLT-FLEX Dimensions: 0.93"W x 0.94"H

Click here to view our Tape Light Channels

File Name: ACBC Spec Sheet A06 NOV 22, 2022

52 Railroad Ave Valley Stream, NY 11580




LED TAPE LIGHT

TYPICAL INSTALLATION

precise LFD Precision Through Innovation

Project Name:

Fixture Type:



File Name: ACBC Spec Sheet A06 NOV 22, 2022