
NOVATION®
Redefining Architectural Downlighting
Precision. Performance. Integration.
preciseLED
Precision Through Innovation




A New Standard in Architectural Integration

NOVATION® is engineered for projects that demand invisible integration, extreme shallow depth, and uncompromising performance.


A Complete Downlighting Platform

From IC housings to remodel, from shallow to ultra shallow, NOVATION® adapts to every ceiling condition.






IC ADJUSTABLE / NON-ADJUSTABLE




NEW CONSTRUCTION




REMODEL




MICRO




2-INCH




UNO




LOUVRE




SHALLOW HOUSING
ADJUSTABLE / NON-ADJUSTABLE




SHALLOW WALL WASH



ULTRA SHALLOW





NOVATION®
ULTRA
SHALLOW

The Shallowest Downlight in the World

NOVATION® Ultra Shallow delivers high-output performance in unprecedented minimal depth — enabling recessed lighting where it was previously impossible.

Heatpipe water cooling ensures thermal stability without increasing housing size.



NOVATION® ULTRA SHALLOW


Fits Where Nothing Else Will.

Water-Cooled Heatpipe Technology

Our proprietary heatpipe system transfers heat through a water-based thermal cycle, maximizing efficiency in minimal housing depths.

Available in:

- Shallow
- Ultra Shallow
- Uno





The Cleanest Architectural Integration Ever


NOVATION®
UNO

Designed with a Paint-Over Plaster Trim




No visible flange.
No visual interruption.
True architectural continuity.


Painted In.
Not Installed.



- 359° rotation
- 30° pivot
- Nesting up to four fixtures


Precision illumination for lobbies, lounges, and luxury environments



Controlled illumination
for galleries and
visual experiences.

NOVATION 3D BUILDER


Configure with Precision

Design, configure, and download specifications online.


- Reduce errors.
- Speed up submittals.
- Integrate into your workflow.




NOVATION®
ULTRA SHALLOW




Trim Options





NOVATION®
ULTRA SHALLOW



Utilizing our patented heat pipe technology, the NOVATION® Ultra Shallow Downlight is the shallowest downlight on the market, boasting a height of just 1.5" within the plenum. It is an ideal solution for a full featured downlight in even the shallowest of plenums.

Wattage
9W / 13W / 18W

Color Temperature
2700K / 3000K / 3500K / 4000K
Dim-to-Warm (18K–30K)

CRI
90CRI (Std) / 95CRI


Beam Angles
15° / 24° / 38° / 45° / 60°

Dimming
0-10V (1%)
Triac/ELV (120V)
DMX / DALI (≤12W)


Housing Options
Airtight
Chicago Plenum


Optics / Accessories
Clear / Linear / Prismatic / Sanded / Softening
Micro Louver (Black / Aluminum)


NOVATION®
UNO




Trim Options







NOVATION®
UNO



The NOVATION® Uno provides an elegant solution for new construction projects. Our new plaster-in-trim allows seamless ceilings with a modern look. At the core of the Uno is a combined light engine and driver, enabling easy servicing leaving the trim intact. Up to four fixtures can be modularly nested together paving the way for more intricate design.

Wattage
9W / 17W
Custom wattage (max 23W)

Color Temperature
2700K / 3000K / 3500K / 4000K


CRI
90CRI

Beam Angles
24° / 38° / 45° / 60°


Dimming
0–10V (1%)
120–277V
Triac / ELV

Housing Options
Airtight
Chicago Plenum


Optics / Accessories
Clear / Linear / Prismatic / Sanded / Softening
Micro Louver (Black / Aluminum)



SHALLOW HOUSING
ADJUSTABLE / NON-ADJUSTABLE




SHALLOW WALL WASH




IC ADJUSTABLE / NON-ADJUSTABLE




REMODEL




NEW CONSTRUCTION



MICRO



LOUVRE



2-INCH

preciseLED

Precision Through Innovation